


Installation privacy rail (1)

Product design and specification changes reserved.



PRIVACY RAIL
SYSTEMS

4100-SERIES

07/2003

These details also apply to 4200 and 5100 rail.


G-RAIL[®]

ALUMINIUM RAIL

> *by Goelst*

Installation privacy rail (2)

Product design and specification changes reserved.



Site Preparation.

Timber noggins to be provided by others above suspended ceiling tiles and within hollow partitions to suit dimensions advised by Goelst UK Ltd. It is important that no gap exists between the underside of the noggin and the top of the ceiling tile.

**PRIVACY RAIL
SYSTEMS**

4100-SERIES

07/2003

These details also apply to 4200 and 5100 rail.


G-RAIL®

ALUMINIUM RAIL

> *by Goelst*

Installation privacy rail (3)

Product design and specification changes reserved.



Site Preparation.

Timber noggins to be provided by others above suspended ceiling tiles and within hollow partitions to suit dimensions advised by Goelst UK Ltd. It is important that no gap exists between the underside of the noggin and the top of the ceiling tile.

PRIVACY RAIL SYSTEMS

4100-SERIES

07/2003

These details also apply to 4200 and 5100 rail.


G-RAIL[®]

ALUMINIUM RAIL

> *by Goelst*

Installation privacy rail (4)

Product design and specification changes reserved.



Site Preparation.

Timber noggins to be provided by others above suspended ceiling tiles and within hollow partitions to suit dimensions advised by Goelst UK Ltd. It is important that no gap exists between the underside of the noggin and the top of the ceiling tile.

**PRIVACY RAIL
SYSTEMS**

4100-SERIES

07/2003

These details also apply to 4200 and 5100 rail.

G-RAIL[®]
ALUMINIUM RAIL

> *by Goelst*